

SAR 9.11



ICS BE A GAME CHANGER
ICSAIRSOFT

SARSILMAZ
The logo of SARSILMAZ® is registered trademarks of Sarsilmaz Silah San. A.Ş., Turkey
-www.sarsilmaz.com- and is used for airsoft replicas under worldwide exclusiv license.

WWW.ICSB8.COM

EN



- 1:1 scaled and manufactured under the authorization by real steel fire arm brand SARSILMAZ. The Innovative Straight Pressing Adjustable Hop-Up System works extremely well with the the Fix Inner Barrel, which can significantly increase the accuracy.
- Modular Fire Control provides not only smoother inter-connection, but also easier removal and maintenance.
- With the included Interchangeable Backstrap and interchangeable Magazine Release Button that can be replaced according to personal needs, may creates a more customized sidearm per personal usage habits.

Luminous Sights



14mm CCW Steel Adaptor out of the box



Fixed Inner Barrel

Interchangeable Backstrap included



Enlarged Trigger Guard

Modular Trigger-Fire Control



BE A GAME CHANGER

ICS AIRSOFT

[WWW.ICSB.COM](http://www.icsbb.com)



SAR 9.11



- Uni-spec Fixed 6.03mm Inner Barrel and H-UP Bucking
- Innovative Horizontal Adjustable Hop-up System



Low Resistance Slide Design



M1913 Tactical Rail



Trigger Safety Loaded Indicator



Side-changeable Magazine Release Button



BE A GAME CHANGER

ICS AIRSOFT

www.icsbb.com



SAR 9.11

LOW RESISTANCE SLIDE DESIGN



Installation video



SAR 9.11 UPGRADE KIT



The Brand new upgraded low resistance slide design integrates spring powered hammer contact, making the whole SAR9.11 system function smoother and more reliable.

- AS-55** SAR 9.11 Upgrading Kit
- AS-56** SAR 9.11 Trigger & Hammer Housing-Right
- AS-57** SAR 9.11 Cylinder Housing
- AS-58** SAR 9.11 Cylinder Cover Housing
- AS-59** SAR 9.11 Push Bar
- AS-60** SAR 9.11 Push Bar Spring
- AS-61** SAR 9.11 Push Bar Pin
- AS-62** SAR 9.11 Cylinder Housing Spring
- AM-08** BM9 Hammer Housing Spring Pin



BE A GAME CHANGER

ICS AIRSOFT

www.icsbb.com




SAR 9.11



Fixed Inner Barrel

Fixed Inner Barrel provides higher stability while recoiling, which significantly increase the accuracy.



Modular Trigger-Fire Control

The Modular Trigger-Fire Control design provides not only smoother inter-connection, but also easier removal and maintenance.



BE A GAME CHANGER

ICS AIRSOFT

www.icsbb.com



SAR 9.11



Loaded Indicator

A Red Triangle Indicator can be found on the trigger surface for easy identification and notification. Trigger will be held at the rear once the magazine and chamber are empty.



M1913 Tactical Rail

Picatinny Rail with 3 grooves for customization per personal need and condition.



BE A GAME CHANGER

ICS AIRSOFT

[WWW.ICSB.COM](http://www.icsbb.com)



SAR 9.11



Uni-spec Fixed 6.03mm
Inner Barrel and H-UP
Bucking

Universal Spec 6.03mm Precision Barrel for easier upgrade and maintenance.



Innovative Horizontal
Adjustable Hop-up
System

Horizontal Adjustable Hop-up System for better accuracy and higher muzzle velocity.



BE A GAME CHANGER

ICS AIRSOFT

www.icsbb.com



SAR 9.11



Interchangeable Backstrap included

A Interchangeable Backstrap with Realistic Texture will be provided out of the box for grip customization and better gripping experience.



Side-changeable Magazine Release Button

The Magazine Release button can be switched and installed on the handedness side in accordance with personal usage habits.



BE A GAME CHANGER

ICS AIRSOFT

[WWW.ICSB.COM](http://www.icsbb.com)



SAR 9.11



Luminous Sights

You can also aim and shoot easily from the dark.



14mm CCW Steel Adaptor out of the box

Barrel Extension Tube adaptable.



BE A GAME CHANGER

ICS AIRSOFT


www.icsbb.com



SAR 9.11



**EFFICIENT
GAS
RELEASE**



**QUANTITATIVE
GAS INJECTION
VALVE**

MODEL OPTION



SPECIFICATIONS

Total Length	195 mm
Inner Barrel Length	97mm
Weight	750 g
Muzzle Velocity	90 m/s (295FPS)
Caliber	6 mm
Magazine Capacity	22 rounds max.
Receiver Material	Nylon
Slide Material	Aluminum
Power	GBB
H-up	Adjustable

Gun specs will be set differently according to the required settings from each market, the specifications listed above are for general use only.