

LEBAEY





www.icsbb.com



 GBB and CO2 dual system options are available, with the GBB version equipped with the Revo high-performance gas valve to improve gas conversion efficiency and increase gas efficiency by 20%. The CO2 version uses a Japanese-made CO2 gas valve from Mr. Kobayashi for more stable airflow output and safe operation.

• The LEGACY adopts a length of 4.3", with a simple and classic appearance combined with modern design, presenting a more extraordinary taste. The entire gun has high compatibility with Tokyo Marui Hi-Capa parts, providing a wider range of variety of maintenance, repair, and upgrade options.

• Equipped with an upgraded TDC HOP High-performance hop-up system unit and paired with Master Mods R-Hop bucking, it can be used with 0.48g BBs to effectively improve trajectory stability and accuracy, resulting in better shooting performance.





Reinforced Magazine

Base Plate

WWW.ICSBB.COM



Adjustable Flat Trigger

C

11mm thread length / 14mm thread adapter for silencer

Durable Special Nylon anti-slip pattern grips



Pre-upgraded Steel Parts



MASTER HI-CAPA TDC HOP CHAMBER FOR TM SPEC

SUON HILSVN SPE



TDC Top-Dead-Center mount design for the best even spread out vertical bucking pressure, which stabilizes the trajectory and increase accuracy and range. The pressure ring was built by powder steel which increase the form preciseness that would provide much better stabilities.



MASTER MODS R-Hop System

TDC HOP UNIT TM COMPATIBLE

- · Perfect TDC Top-Dead-Center force hop pressure.
- · Compatible with Tokyo Marui spec Hi-Capa.

AIRSOFT

BE A GAME CHANGER

• R-hop system and Electroless nickel coating 6.04mm inner barrel enhancing accuracy and consistency with high durability and reliability.

WWW.ICSBB.COM

· Redesigned structure to provide extra support to lower part of chamber.

1.5mm hexagon wrench for Fine Tuning H-UP screw.

HOP UP SYSTEM

Mid frame stabilizing bump





Fixed H-UP set with Barrel Lock

The exclusive fixing Barrel Lock screw on the H-UP set. It provides higher stability while recoiling and significantly increases the accuracy.

Unique design of master mods R-HOP

- \cdot Rubber layer chamber is foolproof to install and deform resisting.
- R-Hop's friction surface is evenly spread out for stability and optimize heavy bb's trajectory.
- Electroless nickel coating to smoother the inner tube surface and optimize accuracy.







Stippled Textured Anti-Slip Pattern

Unique Stippled textured anti-slip pattern to increase stability when holding the gun.

Reinforced Magazine Base Plate ///

• 30 rounds high-capacity (dual-row) magazine, equipped with durable nylon fiber magazine base plate.

· Concaving design for quick mag pull and easy to handle.







Adjustable trigger

The Short Stroke Trigger can effectively reduce the trigger traveling distance, increase the rate of fire, and greatly enhance the shooting responsiveness and accuracy.



The screw lock point between the middle frame and the trigger guard with the Plastic Insert Molding to strengthen the stability and prevent the frame from shaking.





Aluminum Slide for Smooth Pull Action

Adding a notch at the end of the slide increases the force application point, making the slide pull action faster and more accurate.

> Recoil Reverse Plug Retention Clip (For 1911 / Hi-Capa)

1911/Hi-Capa recoil spring guide rod with reverse plug retention clip is included with the gun, which can remove the cover spring and guide rod assembly more quickly and conveniently.





HIGH PERFORMANCE PACKAGE

 $\mathbf{\hat{o}}$

MX-026 / MX-026A Hi-Capa Mount

LEBACY

0

MX-025 / MX-025A

Hi-Capa Enlarged Magazeine Release Button Combination



MX-024 / MX-024A Hi-Capa Rhino Flat Trigger

MX-049 / MX-049A / MX-049B Al6061 Hi-capa Magazine Base Pad







▲ SPECIFICATIONS

Model	BLE-017-SB
Total Length	205 mm
Inner Barrel Length	97 mm
Weight	886 g
Muzzle Velocity	95m/s (312 FPS)
Caliber	6mm
Magazine Capacity	30 rounds
Frame Material	Aluminum
Slide Material	Aluminum
Power	Green Gas / CO2
H-up	Adjustable

- * Measured w/0.20g BBs and green gas tested @ 25°C room temperature.
- * Gun specs will be set differently according to the required settings from each market, the specifications listed above are for general use only.



⊿ MODEL OPTION

BLE-017-SB

EGACY



0