

ICS MGL Multiple Grenade Launcher

The ICS MGL is the ultimate airsoft multiple grenade launcher, a 1:1 reproduction of the well known Milkor MGL. The ICS MGL faithfully replicates the features of the MGL's rugged looks. ICS MGL imitates the revolver, tube, handguard rail and the revolver latch. In addition to the accuracy of its appearance, the operation of the ICS MGL also simulates the real weapon.







ICS MGL DS Multiple Grenade Launcher

Tan is another popular base colour for firearms, ICS also offers the MGL in Tan colour to maximize concealment and minimize the possibility of detection in a variety of environments.








Metal Handguard authorized by MILKOR

ICS MGL utilizes a 1:1 scaled handguard from the real firearm, authorized by Milkor.







The Most Effective Handheld, Multi-shot Firepower

Multiple target shots make this grenade launcher suitable for both offensive and defensive suppressive fire roles.








Body with Durable and Lightweight Design

The ICS MGL is made from high strength polymer; it is lightweight, highly portable and suitable for the Airsoft game environment.







Accurate Representation of the Revolver Function

The operation of the revolver is identical to the real firearm.







M1913 Rails

The ICS MGL equips a standard quad rail configuration which allows the player to mount multiple tactical accessories.









Adjustable Stock

The stock can be adjusted to 6 lengths and 3 angles. It is compatible with any AR type retractable stock.









Grip Tactique

The ICS MGL comes with a quick slide-on foregrip, designed to attach onto an M1913 rail. Push one button to adjust the position or to slide it in or out. There is a removable panel that can be slid out so that the pressure switch can be installed in the slot.









High Grenade Compatibility

The ICS MGL is compatible with ICS MA-138 & MA-158 grenades, and many other 40mm grenades on the market.







Revolver Latch

The operation of the revolver latch is the same as the real firearm. The cylinder can be easily released by pulling the revolor latch so that it can be rotated out to load six grenades.







Ambidextrous Selector Lever








Steps of Grenade Reload



Rotate the clip to release the handle guard, and pull revolver latch to hold the cylinder fully to the left.



Pull the revolver latch and then swing back the cylinder.



Rotate the cylinder counterclockwise.



Turn the selector lever to fire position and then you are ready to fire.



Load six grenades.














13/4	ICS-190	ICS-191	ICS-192	ICS-193
Specifications	TIME		-	7
Length	725 / 630	780 / 675	825 / 725	725 / 630
Barrel length	203	203	203	203
Weight	2200	2200	2400	2400
Velocity	Velocity varies according to			
	different gas pressure and			
	grenade	grenade	grenade	grenade
Caliber	40 mm	40 mm	40 mm	40 mm
Grenade capacity	6 rounds	6 rounds	6 rounds	6 rounds
Material	Engineering plastic	Engineering plastic	Engineering plastic	Engineering plastic
Handguard type	Engineering plastic	Engineering plastic	Metal	Metal





