

CXP-MMR

- FET
- EBB
- M
- H-UP
- 6
- 8
- M-LOK
- SPRING RELEASE



BE A GAME CHANGER
ICS AIRSOFT




www.icsbb.com

EN 



- CXP-MMR was made with great attention to detail, featuring a full metal construction, a lightweight M-LOK handguard, and one-piece metal hop-up chamber.
- With an ICS renown split gearbox design allows you to open up your CXP-MMR like a real M4 pattern rifle. And a quick spring change system that is super easy to adjust the FPS without having to break down the entire replica.



BE A GAME CHANGER

ICS AIRSOFT

WWW.ICSBBS.COM



CXP-MMR



All-metal M-LOK Rail Handguard

By CNC Machining and Hard Anodizing Process, the newly-adopted M-LOK Rail Handguard is able to keep a solid structure and is tough enough against scratch with less weight of itself.



Full CNC Machined Receivers

The receivers are machined by CNC milling process, giving it an aggressive look and geometrical surfaces, a design that complies with the standards of AR-15 components.




BE A GAME CHANGER

ICS AIRSOFT

www.icsbb.com



EXP-MMR



Built-in MOSFET System

Play safe and stay long on the field is the condition not allowed to be compromised. MOSFET has lower resistance that will let the system wastes less power and produce less heat during the operation.



Spring Release Function

The built-in ICS Spring Release mechanism actively protects the spring, piston and your airsoft investment. Whenever the SAFE mode is selected, the spring is automatically released reducing wear off of the spring, and other internals.



BE A GAME CHANGER

ICS AIRSOFT

www.icsbb.com




CXP-MMR



ICS Unique Split Gearbox Design

Simulating action of real firearms is crucial part of gaming experience. The unique ICS-designed Split Gearbox provides simulating action like disassembly of real firearms but also accessibility to quick disassembly for work like maintenance and upgrading.



Gearbox QD Spring Guide Design

The war, the rule is always changing. The QD (Quick Detachable) Spring Guide feature offers player a more efficient way to dismantle and replace the spring to adapt the limitation and requirement of the game in present.



BE A GAME CHANGER

ICS AIRSOFT

WWW.ICSBBS.COM



CXP-MMR



Vertical Pistol Grip

The newly-designed "20°-Vertical" Pistol Grip has a compact looking, though. With right-angle shape, the comfort and control of gripping increase. Also The QD Buttom Cap allows the player to perform motor maintenance more easily.



ERGO Tactical Stock with Large Battery Spacing

The New ICS Ergo Stock has 4 adjustable positions and the battery space is 11*4*3 cm³, which is suitable for most of the aftermarket batteries, giving your AEG the ability to perform with extra power and longer in game use time.



BE A GAME CHANGER

ICS AIRSOFT

WWW.ICSBBS.COM



CXP-MMR



EBB System

The ICS EBB (Electric Blow Back) system brings the most realistic experience to a real firearm without sacrificing the durability and the shooting performance.



Durable Internals

Factory installed upgrades such as high strength engineering plastic piston, metal H-UP unit, reinforced MIM pinion, and MIM bevel gear. These features allow the rifle to be operated smoothly and reliably for longer time.



BE A GAME CHANGER

ICS AIRSOFT

WWW.ICSBBS.COM



CXP-MMR



CFS Foldable Sights

Reinforced-polymer-made CFS foldable sights has features such as lighter weight, sturdy durability. Its compact profile allow it can still coexist with any optic installed while folding, no need for dismounting.



Tactical Windowed T-MAG Magazine

The innovative 300-round high capacity magazine with ammunition viewing window provides players with the maximum support on their firepower.



BE A GAME CHANGER

ICS AIRSOFT

WWW.ICSBBS.COM



CXP-MMR



Enlarged Trigger Guard

The enlarged trigger guard is a friendly feature for players wearing gloves.



Sling Mount

Double sided ring, allows sling attachment to either side.



BE A GAME CHANGER

ICS AIRSOFT

www.icsbb.com



CXP-MMR

MODEL OPTION



ICS-403



ICS-404

SPECIFICATIONS

Total Length	850-926 mm
Inner Barrel Length	375 mm
Weight	2788 g
Muzzle Velocity	120 m/s (394 FPS)
Magazine Capacity	300 rounds max.
Receiver Material	Metal
Motor	EVO I 35000

Gun specs will be set differently according to the required settings from each market, the specifications listed above are for general use only.

SPECIFICATIONS

Total Length	738-814 mm
Inner Barrel Length	263 mm
Weight	2621 g
Muzzle Velocity	120 m/s (394 FPS)
Magazine Capacity	300 rounds max.
Receiver Material	Metal
Motor	EVO I 35000

Gun specs will be set differently according to the required settings from each market, the specifications listed above are for general use only.



BE A GAME CHANGER

ICS AIRSOFT

WWW.ICSBBS.COM



CXP-MMR